

LAND CRUISER 76 Diesel Specifications

All			
Design	Recommended price	Rands, incl. VAT	506700
	Wheels and tyres	Wheel type	Alloy
		Tyre size	265/70 R16C 7JJ
		Spare wheel	Rear door (full size)
	Body and styling	Configuration	Station Wagon
		Bumpers	Fr: Extended painted and chrome
		Grille	Plated
		Exterior mirror housings	Black
		Door handles	Chrome
		Wheel finish	Alloy
		Side steps	Aluminium
		Overfenders	Front and rear
		Spare wheel cover	Standard
		Mud flaps, front	Standard
		Mud flaps, rear	Standard
		Tow bar wiring connection point	Standard
	Interior, comfort and convenience	Seating	2+3
		Power steering	Standard
		Ventilation: Air conditioning	Standard
		Electrically adjustable windows	Standard
		Dimming interior rear view mirror	Standard
		Height adjustable steering wheel	Standard
		Reach adjustable steering wheel	Standard
		Remote fuel flap opener	Standard
		Windscreen wipers: Intermittent setting	Standard
		Rear window washer/wiper	Standard

		Cigarette lighter	Standard
		Instrumentation: Type	Analogue
		Instrumentation: Tachometer	Standard
		Instrumentation: Fuel gauge	Standard
		Instrumentation: Water temperature gauge	Standard
		Instrumentation: Clock	Standard
		Auxiliary input for portable devices	Standard
		USB input terminal	Standard
		Satellite Navigation System	Standard
		Glove box	Lockable
		Door pockets	Standard
		Bottle holders	Front
		Seat back pockets	Driver and front passenger
		Courtesy lamps: Dome lamp	Standard
		Courtesy lamps: Central console box	Standard
		Radio tuner	Standard
		CD player	Standard
		Speakers	4
		Antenna mounting	Standard
		Seat configuration (1st/2nd/3rd row)	2/3
		Cloth seat facings	Standard
		Driver's seat: Fore/aft adjustable	Standard
		Steering wheel cover	Urethane
		Floor cover	Carpet
	Dimensions, capacities, weights and clearances	Length (mm)	4760
		Width (mm)	1870
		Height (mm)	1940
		Wheelbase (mm)	2730
		Front track (mm)	1555
		Rear track (mm)	1460
		Ground clearance, unladen (mm)	230
		Seats: Adults	5
		Load area: Length (mm)	940
		Load area: Width (mm)	1525
		Load area: Height (mm)	1115
		Fuel tank (litre)	130
		Vehicle weight (Tare, kg)	2245
		Gross vehicle mass (GVM, kg)	3060
		Gross combination mass (GCM, kg)	6560
		Load capacity (kg)	815
		Towing capacity (kg): Unbraked trailer	750
		Towing capacity (kg): Trailer with overrun brake	1500
		Angle of approach	36
		Angle of departure	23
		Wade depth (mm)	700

Safety & Security	Factory options		
	Prices of available colours	Ivory White (058)	0
		Satin Silver Metallic (1F7)	0
		Graphite Grey Metallic (1G3)	Colour by special order only
		Ruby Metallic (3Q3)	Colour by special order only
		Sand Beige (4E9)	0
		Golden Beige Metallic (4R3)	0
		Dark Blue (8H6)	Colour by special order only
	Safety	Passenger safety cell	Standard
		Door impact beams	Standard
		Impact absorbing steering wheel column	Standard
		Driver front airbag	Standard
		Passenger front airbag	Standard
		Safety belts: Front seats	2x3-point
		Safety belts: Second row	2x3-point, 1x2-point
		Head restraints: Front	2
		Halogen headlamps	Standard
		Front fog lights	Standard
		High mounted 3rd brake light	Standard
		Anti-lock Braking System (ABS)	Standard
		Rear window demister	Standard
Under the Bonnet	Engine and transmission	Engine type	1HZ
		Displacement (cm ³)	4164
		Cylinder configuration	6 in-line
		Max. power (kW @ r/min)	96 @ 3800
		Max. torque (Nm @ r/min)	285 @ 2200
		Valve mechanism	12-valve, SOHC
		Valves per cylinder	6
		Bore x stroke (mm)	94.0 x 100
		Compression ratio	22.4:1
		Fuel supply	Distributor type
		Emission control phase	Euro Step 2
		Transmission type	Manual
		Transmission configuration	5-speed manual
		Gear ratios: 1st	4,313
		Gear ratios: 2nd	2,330
		Gear ratios: 3rd	1,436
		Gear ratios: 4th	1,000
		Gear ratios: 5th	0,838
		Gear ratios: Reverse	4,220
		Driven wheels	Selectable 4WD
		Transfer gear ratio: High	1,000
		Transfer gear ratio: Low	2,295
		Differential lock(s)	Standard

		Service intervals (km)	5000
		Warranty	3 years/100 000km
	Performance		
	Performance (Data by Toyota Motor Corporation)	Top speed (km/h)	150
		Fuel consumption: Combination (l/100km)	11,6
	Performance (Data by CAR Magazine, SA)		
Handling	Brakes	Front	Ventilated discs
		Rear	Standard
		Anti-lock Braking System (ABS)	Standard
	Suspension	Front	Standard rigid live axle, coil spring
		Rear	Standard, Rigid axle, Leaf spring
	Steering	Type	4-Spoke Urethane D390
		Power assistance	Standard
		Steering gear ratio	19,79
		Turning circle (tyres, m)	6,3

Toyota Disclaimer

Toyota Customer Care

* Prices represent the manufacturers suggested, non-binding factory retail price including 14% VAT excluding registration, license plates and transfer fees. Actual price information is available from your Toyota dealership.

** Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd reserve the right to alter any details of specifications and equipment without notice. Details of specifications and equipment are also subject to change to suit local conditions and requirements. No guarantee is given regarding the accuracy of information in this site. Vehicles pictured and specifications detailed in this site may vary from models and equipment available in your area. Vehicle body and trim colours might differ slightly from the pictures in this site.

*** Please check model availability and full specification details with your Toyota dealer prior to ordering. Neither Toyota South Africa Motors (Pty) Ltd nor Toyota Dealer network can accept contractual responsibility for your reliance on the information contained within this site.

**** Accessory prices represent indicative prices including VAT. Installation is not included. See your local Toyota dealership for installed pricing. Prices and product availability are subject to change without notice.

***** All calculations made on calculators supplied on this site, together with rates quoted, are guidelines only and are subject to confirmation at the time of finalising any transactions. All information regarding the products, fees, interest and/or costs which are included in and form a fundamental basis of the calculations are subject to change at any time prior to a final pre-agreement quote being handed to the User. The User indemnifies Toyota Financial Services against any loss or liability, which the User may suffer as a result of the use of any calculator. The site and all information provided on this site and the services provided on this site, are provided "as is". The information provided on this site should not be treated as professional advice of any kind.

***** Maintenance plan upgrades are calculated for 5 years from the date of original registration. All prices and specifications are subject to change without notice. All finance calculations are subject to bank approval. Should the quote amount differ from the actual value of the plan, Toyota SA reserves the right to cancel the plan or amend the plan to the value paid by the customer.

***** Service plan upgrades are calculated for 5 years from the date of original registration, with the exception of the Yaris T1 and Avanza, which is calculated for, 4 years up to 60000 km. and, 5 years from 75000 kms onwards. All prices and specifications are subject to change without notice. All finance calculations are subject to bank approval. Should the quote amount differ from the actual value of the plan, Toyota SA reserves the right to cancel the plan or amend the plan to the value paid by the customer.

***** All of the information contained in this site is for information purposes only and in no way constitutes an offer to buy or sell Toyota vehicles. The purchase of any Toyota vehicle shall be subject to the terms and conditions of the applicable sale, lease or retail installment contract. Actual dealer price may vary. This site shall not be used or relied upon by you as a substitute for information that is available to you from an authorized Toyota dealership.

0800 139 111